DOCUMENT RESUME

ED 219 281 SE 038 788

AUTHOR	Jacobs, Mary Lynn, Ed.
TITLE	Energy Storage. Teachers Guide. Science Activities in Energy.
INSTITUTION	Oak Ridge Associated Universities, Tenn.
SPONS AGENCY	Department of Energy, Washington, D.C. Office of Energy Research.
REPORT NO	DOE/NBB-0003
PUB DATE	May 82
CONTRACT	DE-AC05-76OR00033
NOTE	40p.; For related documents, See ED 170 132-133 and ED 152 529-532.
AVAILABLE FROM	U.S. Department of Energy, Technical Information Center, P.O. Box 62, Oak Ridge, TN 37830.
EDRS PRICE	MF01/PC02 Plus Postage.
DESCRIPTORS	Activity Units; Electric Batteries; *Elementary School Science; Elementary Secondary Education; *Energy; Environmental Education; Motion; *Physical Sciences; *Science Activities; Science Education; *Secondary School Science; Teaching Guides
IDENTIFIERS	*Energy Education; *Energy Storage

ABSTRACT

Included in this science activities energy package for students in grades 4-10 are 12 activities related to energy storage. Each activity is outlined on the front and back of a single sheet and is introduced by a key question. Most of the activities can be completed in the classroom with materials readily available in any community. Among the questions introducing activities are: (1) Will water which is twice as high fall out of a container twice as far? (2) Which has more energy: one teaspoon of alcohol or one teaspoon of alcohol gel? (3) How far can a balloon rocket go on compressed air in one full balloon? (4) Will flashlight batteries that are twice as large last twice as long? (5) How much longer does a C-size battery last when it is turned on-and-off compared to continuous use? (6) Will rye flour cause a bigger boom than wheat flour? (7) Will a flywheel that goes twice as fast go twice as long? (8) Will a flywheel made of 3/4 inch plywood spin 3 times longer than one made of 1/4 inch plywood? and (9) Will a spool go twice as far if its rubber band motor has twice as many turns? (JN)

****
* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *
****

ED219281

U.S. DEPARTMENT OF EDUCATION
NATIONAL INSTITUTE OF EDUCATION
EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

This document has been reproduced as received from the person or organization originating it.

☐ Minor changes have been made to improve reproduction quality.

• Points of view or opinions stated in this document do not necessarily represent official NIE position or policy.

Energy Storage Teachers Guide

DOE/NBB-0003

"PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY
Department of Energy
TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)."

DE83 018788

Science Activities in Energy

Science Activities in Energy, a series of simple, concrete, revealing experiments, was developed especially for students in the fourth through tenth grades.

The purpose of the series is to illustrate principles and problems related to various forms of energy and their development, use, and conservation.

More importantly, *Science Activities in Energy* was designed to help you directly involve students in exploring intriguing scientific questions and in making discoveries on their own.

You don't need to be an expert in science to use these materials. In fact, many of the activities use art, economics, arithmetic , and other skills and disciplines. Since the series stresses investigation and exploration, you are not expected to know the "right" answer to every question.

Most activities in the series can be conducted in the classroom, using materials readily available in any home or school. A few activities require materials purchased from a local or national supplier. The series' developers have made a concerted effort to design activities which use the same materials or materials that can be saved for use in other units.

Each activity begins with a question. At the beginning of the activity, try to get your students to predict the outcomes, even if they lack experience or knowledge to justify their predictions. Urge them to guess! This helps them to become more interested and involved in the activity.

When working on answering a question, each student (or the class as a group) follows the instructions which lead him or her through the activity. This kind of direct participation leads students to other questions—some of which are suggested on the activities and others they generate themselves. The activities encourage exploration by the experimenters on their own.

The series' developers have purposely used metric measurements throughout the experiments. They believe that this will be part of the learning process for many young people and also for some adults.

Each activity is outlined on a single sheet. The sheets can be photocopied for distribution or easily projected on a screen or a wall.

Published: May 1982
Mary Lynn Jacobs, editor

Energy Storage 1

Question Will water which is twice as high fall out of a container twice as far?

Process Skills

Hypothesizing and observing.

Time

40 to 50 minutes.

Objective The student will measure how far the water falls out of the can, indicating which depth of water has the greatest pressure.

Materials & Procedure Clues

Since the size of a hole will affect how far water falls from a can, make sure that both holes in a can are the same size. Be sure the clay plugs the hole so the can doesn't leak. The students should hold onto the cans so the cans don't move as they pull their fingers away from the hole. Conduct the experiment on a flat pan or the floor. Keep a mop handy!

Concept

The potential energy of water increases as the water level rises.

Background

Stored water, such as snow in the mountains or water behind a dam, has potential energy. The amount of energy stored in the water is directly proportional to the distance the water falls when it is released.

Electric utilities sometimes store excess electrical power they produce by using electricity to pump water to an elevated storage lake. When electrical power is needed, stored water from the lake is released to turn turbine-generators.

When water is released from the can in the experiment, the path it takes is determined by two motions — gravity and water pressure. Gravity causes water behind a dam to fall downward when the water is released, it causes water in this experiment to fall sideways out of the hole in the can.

Since the water pressure is not constant in the experiment (the water level in the can drops continuously), the best way to compare the trial results is to mark the position of the water when it first hits the table.

Precautions

Do not conduct the experiment near electrical outlets. Be sure the cans do not have sharp edges. Be careful on wet, slippery floors.

Results The water from the higher hole will fall out three to four times as far as the water from the lower hole. Note that the higher hole in the can is only twice as high as the lower hole.

Strategies

Before: What are the properties or characteristics of water? Discuss how dams and turbines are used to make electricity. Predict what the stream of water will do when the students remove their fingers from the holes.

After: Discuss the results. What are the variables in the experiment? How could you adjust the variables to get the greatest energy output?

Energy Storage 2

Question
Which has more energy: one teaspoon of alcohol or one teaspoon of alcohol gel?

Time
40 to 50 minutes.

Objective
The student will make some alcohol gel and then measure how much heat it will generate compared to liquid alcohol.

Process Skills
Hypothesizing, observing, and measuring.

Materials & Procedure Clues
If you have trouble finding calcium acetate to make the alcohol gel, substitute sterno (a commercial alcohol gel) in the experiment.

Concept
It is possible to change a liquid fuel into a solid fuel which is more convenient and can be easily stored.

Background
Changing liquid alcohol to a solid form is similar to making a gelatin dessert. Water is solidified in making a gelatin dessert. Alcohol is solidified in making an alcohol gel.

When the alcohol is mixed with calcium acetate, it forms a colloid — a suspension of small alcohol droplets. The calcium acetate prevents the droplets from joining together to form liquid alcohol. The stable droplets behave like small pebbles, making the mixture a solid one.

Since the process is a physical process — changing alcohol from a liquid to a solid — and not a chemical one, the energy content of the fuel is not altered. However, since calcium acetate burns, the alcohol gel may produce slightly more heat than liquid alcohol.

Precautions
Be careful not to inhale fumes from the gel. Be careful in using flames to test the energy output.

Results
The alcohol gel has slightly more energy than the liquid alcohol.

Strategies
Before: Have students make the gel first. They should discuss or research information on gels and their uses.

After: Which form of alcohol has more energy? What are the hazards of using gels? Of liquids? Discuss.

Energy Storage 3

Question
How far can a balloon rocket go on the compressed air in one full balloon?

Time
40 to 50 minutes

Objective
The student will build a small, compressed-air rocket and determine how far it travels.

Process Skills
Observing, measuring, and organizing data.

Materials & Procedure Clues
Check to see that the fish line remains taut before starting experiment. Be sure the balloon is tightly attached to the straw.

Concept
Energy can be stored in the form of compressed air for use when needed.

Background
Potential energy in the form of compressed air is stored in the balloon. The energy used to compress the air comes from the students' lungs.

The compressed-air rocket works on the following principle: for every action there is an equal but opposite reaction. The air leaves the balloon at a certain speed in one direction, propelling the rocket at the same speed in the opposite direction.

Commercial jet airplanes work on the same principle.

Precautions
Arrange the students in the classroom so they do not hit each other's fish lines or balloons.

Teachers should drill holes in the corks.

Results
A small, six-inch balloon should go about eight meters, depending on how much air is compressed and the amount of friction between the fish line and the straw.

Strategies
Before: Talk about jet airplanes and how they work. Discuss precautions that need to be taken to be sure the compressed-air rocket works.

After: Which rocket went the farthest? How can the students modify it to get greater distance or efficiency?

Energy Storage 4

Question
Will flashlight batteries that are twice as large last twice as long?

Time
40 to 55 minutes.

Objective
The student will determine the effectiveness of various batteries in running a motor.

Process Skills
Observing and measuring.

Materials & Procedure Clues
Be sure that the motors will work with the batteries.

We've used the term "battery" instead of "cell" because that usage is more common for the age level to which these activities are directed.

Concept
A battery will last longer if the demand on it is less than what it is capable of supplying.

Background
Batteries are composed of a variety of chemical materials. When a motor is connected to the terminals of a battery, the materials in the battery react.

Compared to a smaller battery, a larger battery has a greater amount of materials inside of it. When connected to the same motor, a larger battery does not use its chemical supply as rapidly as a smaller battery. A battery whose diameter is twice that of another battery and is the same size in length actually contains four times the material of the smaller battery.

Precautions
Be careful when using a soldering iron.

Strategies
Before: Have the students predict how long each battery will last.

After: Have the students try to explain the results. Calculate the amount of material in each battery and compare it to how long it lasted. Discuss if the batteries are worth their various prices.

Results
The D battery will last approximately twice as long as the C battery.

Energy Storage 5

Question
How much longer does a C-size battery last when it is used on-and-off compared to continuous use?

Time
40 to 50 minutes.

Objective
Students will compare the life of a battery used on-and-off versus continuously.

Process Skills
Observing, measuring, organizing, and replicating data.

Materials & Procedure Clues
Try to have something for the students to do while waiting during the five-minute recharging period. Students may need help setting up the tables for recording data. We've used the term "battery" instead of "cell" because that usage is more common for the age level to which these activities are directed.

Concept
A battery lasts longer if it is given a chance to rest between uses.

Background
When a battery runs continuously under heavy use, the chemical reaction takes place rapidly. The surface of the metal inside of the battery becomes covered with by-products of the reaction, decreasing the efficiency of the battery and its ability to produce electricity.

When a battery is able to rest between uses, some of the by-products coating the metal dissolve. Once again, the metal surface is exposed to the chemicals in the battery, resulting in a more complete reaction.

Precautions
The meter is fragile so it should be treated with care. Check the wiring circuits carefully.

Results
The battery lasts 25 to 50 percent longer when used on-and-off compared to continuous use.

Strategies
Before: Have the students predict what will happen.

After: Discuss the results.

Energy Storage 6

Question
Will rye flour cause a bigger boom than wheat flour?

Time
15 minutes for each explosion setup.

Objective
The student will observe the results of exploding various types of flour and how it relates to their potential energy.

Process Skills
Observing and replicating.

Materials & Procedure Clues
Try the experiment ahead of time to be sure you know what will happen. The plastic cover should not hurt anyone or anything, but you need to know where and how far it will go. You also need to know how loud it will be. Young students may be frightened.

Concept
The energy of sunlight is stored by plants mainly as starch and oil. In a finely divided state, these chemicals rapidly combine with oxygen and explode.

Background
Plants store energy in different chemical forms. Potatoes store energy primarily as starch, while trees store energy as cellulose. Seeds from hardy grasses, such as wheat and rye, store energy as starch and oil.

The energy content of wheat and rye is about the same. However, the finer the seeds are ground, the easier and faster they burn.

In the coffee can, each small particle of flour is mixed and surrounded by air. The rapid burning process raises the temperature and pressure inside of the can, causing an explosion. The sudden expansion of the air lifts the lid and also causes the noise.

Precautions
Be careful of scaring the children. Warn students about doing this experiment at home because of fire danger.

Strategies
Before: Have the students predict what will happen. What causes an explosion?

After: How does this relate to grain or dust explosions?

Results
Both flours will produce similar results.

Energy Storage 7

Question Will a flywheel that goes twice as fast go twice as long?

Time
45 to 50 minutes.

Objective The students will measure how long a flywheel will continue to turn at various rotation speeds.

Process Skills

Hypothesizing, controlling variables, and observing.

Materials & Procedure Clues

Check the flywheels to be sure they work properly.

Let students practice using the strobe wheel, so they see what they should look for.

Be sure the strobe is working properly.

Concept The energy stored in the flywheel is proportional to the square of its speed (disregarding friction). For example, a flywheel going twice as fast as another one has four times the stored energy of the other.

Background

Flywheels have been used for many years to store relatively small amounts of energy. For example, a flywheel is used to store energy in automobile and steam engines.

Without friction, a flywheel moving twice as fast as another one has four times the stored energy. Typically, a flywheel is mounted on ball bearings in order to minimize friction.

The amount of stored energy a flywheel contains can be measured by how long it rotates. One of the uses of a strobe is to measure the speed of rapidly moving objects.

Pay attention to a wagon wheel in a Western movie, and you will see the strobe effect. The wheel will appear to rotate forward, stop, and rotate backward as the speed of the wagon changes.

Precautions

Be careful of splinters on the flywheels.

Results

The flywheel going twice as fast should go about three times as long. The results will always be more than twice and sometimes as much as four times longer.

Strategies

Before: Predict what will happen.

After: Explain the principle of a flywheel. Discuss how much more energy a moving object has as its speed increases. As an example, how much more difficult is it to stop a speeding car than one moving slowly?

Energy Storage 8

Question
Will a flywheel made of 3/4" plywood spin 3 times longer than one made of 1/4" plywood?

Time
45 to 50 minutes to conduct the experiment. One hour to make the flywheels.

Objective
The student will measure whether the heavier or lighter flywheel spins longer.

Process Skills
Hypothesizing, controlling variables, and observing.

Materials & Procedure Clues
Make the flywheels ahead of time. Make sure the flywheel and the strobe are working properly.

Concept
The more massive the flywheel is the more kinetic energy it possesses.

Background
To compare the energy content of two flywheels, it is essential that their speeds be exactly the same. The strobe is a device that makes it possible to accurately compare speeds.

There is a direct relationship between the weight of a flywheel and the energy it possesses. The more energy a flywheel possesses, the longer it will spin. The flywheel stops when all of its energy has been converted to heat caused by friction.

Precautions
Be careful of splinters on a spinning flywheel.

Results
The flywheel made of 3/4" plywood will spin about two to three times longer than one made of 1/4" plywood.

Strategies
Before: Have students predict what will happen.

After: What happened? What variables were controlled and manipulated? How are flywheels used today?

Energy Storage 9

Question

The Great FLYWHEEL CONTEST!

Process Skills

Controlling variables and observing.

Time if students construct the flywheels at home, the contest should take about 30 minutes.

Objective The student will try to control all necessary variables and manipulate others to get a flywheel to rotate longer than other students'.

Materials & Procedure Clues

Have the students plan their flywheels on paper before making them. Check the plan for ideas and precautions. Set some limits so students do not spend inordinate amounts of money on the contest.

Concept The shape and distribution of the mass of the flywheels make a great deal of difference in the energy they can store.

Background

The shape, balance, and distribution of materials of a flywheel determine how long it will rotate. Friction and air resistance also affect its rotation.

The object in constructing a flywheel is to increase its inertia as much as possible without changing its weight or balance. Therefore, the heavier a flywheel is at its rim, the more energy it will have when it is rotating.

See *Energy Storage, Activities 8* and *9* for information on flywheels and strobes.

Precautions

Students should use caution in building the flywheels.

Strategies

Before: Develop a list of variables that might affect a flywheel's energy.

After: Why did the winning flywheel win? What were the problems or limiting variables in the losing flywheels?

Results The results will vary depending on the design of the flywheel. The flywheel that is well-balanced and has most of its weight as far from the center as possible should rotate the longest.

Energy Storage 10

Question
Will a spool go twice as far if its rubber band motor has twice as many turns?

Time
40 to 50 minutes.

Objective
The student will build and operate a rubber band-powered spool motor and compare the number of turns of the rubber band with the distance the spool travels.

Process Skills
Observing and measuring variables.

Materials & Procedure Clues
Have the students test the motor to see how it works; how to make it move; and what direction and speed it goes. Be sure the rubber bands are of good quality and not too old. Check for chips in the spools or buttons that will tend to make the motor catch or stick. The buttonhole may have to be enlarged for the rubber band.

Concept
A twisted rubber band contains stored energy that can be used.

Background
Rubber has some very interesting properties. Most substances expand when heated, but rubber contracts. When rubber is stretched and then released, it returns to its original length. Therefore, it is possible to store mechanical energy in the form of twisted rubber bands. Twisting a rubber band is analogous to stretching it.

Since a rubber band does not follow Hooke's Law*, it is difficult to predict how a rubber band will behave. Also, as a rubber band is being twisted, it gets harder to turn. Therefore, more energy is being stored at the end of the twisting process than at the beginning.

The best way to guess how a rubber band will behave is to experiment with it.

*Hooke's Law says that the stretch of a spring is exactly proportional to the force applied.

Precautions
Burn the matchheads before the experiment, so students are not tempted to light them during the class.

Results
The spool will go farther with twice as many turns, but the results will vary depending on many factors.

Strategies
Before: Have students check the spools to be sure they work. Ask the students to predict what will happen.

After: What happened? What are the variables? How can each be controlled or manipulated? Graph your results to find the most typical response.

Energy Storage · 11

Question
How hot will a mixture of water and ice get when it's heated?

Time
45 minutes

Objective
The student will observe that the temperature of the water remains constant as long as ice remains in the container.

Process Skills
Hypothesizing, observing, and measuring.

Materials & Procedure Clues
Be sure the coat hanger frame is sturdy so the glass will not fall. Caution the students to stir the water very carefully with the wooden pencil or the thermometer will break.

Concept
Changing the physical state of a substance (for example, from solid to liquid) requires energy.

Background
Changing the physical state of a substance requires adding or taking away heat. Changing ice to water or changing water to steam requires heat. When steam changes to water, it must give up heat. When water changes to ice, it also must give up heat. Temperature measures the heat in a substance, but it does not measure the total amount of energy a material may have.

A mixture of ice and water will remain 0°C as long as there is ice in the mixture and the mixture is well stirred. As long as ice is added to the can, the heat will be used to melt the ice instead of raising the temperature of the mixture.

Precautions
Care should be exercised when using fire. Do not stir too hard with the wooden pencil. Be careful for the water may be hot at the end of the experiment.

Results
The temperature stays at about 0°C until the ice is melted. Then, it begins to rise at a linear rate.

Strategies
Before: Ask the students to predict the results and record their predictions on the chalkboard.

After: Why did the temperature do what it did? Where is the energy going? Where is the energy stored?

Energy Storage 12

Question
Will dropping a weight from two meters produce twice the dent as dropping it from one meter?

Process Skills
Hypothesizing, measuring, and observing.

Time
45 minutes.

Objective
The student will observe how height relates to the depth of a dent produced when an object is released.

Materials & Procedure Clues
Be sure the students smooth off the top of the damp sand each time. Let the students practice dropping the weight so it hits the target. The sand should not be too wet, just damp enough to be shaped.

Concept
The potential energy of an object is equal to the work it takes to raise it to its present height. When an object falls back to its original position, it releases its potential energy as kinetic energy — the energy of motion.

Background
The potential energy of a falling object depends on how much work was used to raise it. Since it takes twice as much work to raise an object two meters as it does one meter, the object will have twice as much potential energy.

When an object is dropped, the higher the object is, the faster it will be going when it stikes the sand.

The depth of the hole is a measure of the energy the object has when it hits. However, the sand tends to compress when the object hits, and therefore, it doesn't present uniform resistance to the entry of the object. For this reason, you cannot expect a perfect relationship between the energy of the object and the depth of the hole.

Precautions
Be careful the students do not fall if they stand on a chair or table to drop the object.

Strategies
Before: Have the students predict the outcome.

After: Where is the energy in the system? Where is the potential and kinetic energy? Is there a limit to height versus dent relationship?

Results
The dent made is not quite twice as deep for twice the height, but close to it.

As the developer of *Science Activities in Energy*, Oak Ridge Associated Universities is anxious to learn how you and your students use the activities, what variations you develop, and any results you find extraordinary.

Please let us know your reactions to the activities. Also, feel free to ask for information on any energy-related topic.

Prepared by: Oak Ridge Associated Universities,
Oak Ridge, TN 37830, under Contract No. DE-AC05-76OR00033.

Prepared for: U.S. Department of Energy
Office of Energy Research, Washington, D.C. 20585

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

WILL WATER WHICH IS TWICE AS HIGH FALL OUT OF A CONTAINER TWICE AS FAR?

1

MATERIALS:

Tall juice can
Teacher's Discretion — Hammer; eightpenny nail
Metric ruler
Modeling clay

Prepare your tin can.



Plug the bottom hole with clay. Place your finger over the other hole and fill the can to the top with water.



Remove your finger. How far does the water go? Measure and record the distance.

Be sure to refill the can before each experiment.

Now, plug the top hole with clay. Remove the clay plug from the bottom hole. Place your finger over the bottom hole and repeat the experiment.



Summary question:

Does the water falling from the top hole have less energy than water falling from the bottom hole?

OTHER IDEAS TO EXPLORE:

Punch two more holes in between the two already punched. Repeat the experiment, measuring the distance the water travels.

Plot a graph showing water depth and the distance water travels. What kind of line do you expect to get on the graph?





Make the holes twice as large using a nail with twice the diameter (sixteenpenny). How do the results compare with your first experiment?

Can you get more electricity from a hydroelectric plant by adding more turbine-generators?

Which turbine will be driven with greater force: one at the bottom of a 100-foot dam holding back a large lake or a 200-foot dam holding back a small lake?



WHICH HAS MORE ENERGY: 1 TEASPOON OF ALCOHOL OR 1 TEASPOON OF ALCOHOL GEL?

2



MATERIALS:

Calcium acetate; measuring spoons
Wood alcohol (hardware or paint stores)
100-ml Beaker; metric ruler
Graduated cylinder; thermometer
Matches; glass stirring rod
Large tin can; styrofoam cup
Quart jar lid (remove paper liner)
Brick; metal coat hanger; potholder

Teacher's Discretion

To make alcohol gel, dissolve calcium acetate in water until no more will dissolve. Some of the calcium acetate will stay on the bottom.



Then, add 60 ml of wood alcohol to the calcium acetate mixture. Stir and set aside until the mixture gels.



Set up your experiment like this.








Thermometer poked through styrofoam cup.
The thermometer must be in the water but not touching the tin can.
Bend the coat hanger to make a frame for the tin can.
tin can
quart jar lid
BRICK

	temperature of cold water	temperature after heating	difference in temperatures
alcohol gel			
alcohol			

Measure and record the cold water temperature.

Ignite the alcohol. Measure and record the water temperature after all the alcohol has been burned.

Pick up the hot can with a potholder and pour out the hot water. Rinse the can with cold water to cool it. Using fresh cold water, do the experiment again with one teaspoon of alcohol gel. Record your results.

Summary question:

Did you find a significant difference between the energy contents of alcohol and alcohol gel?

OTHER IDEAS TO EXPLORE:



Will your alcohol gel produce more heat energy if you use grain alcohol instead of wood alcohol?

What is the advantage of storing energy as a solid compared to a liquid?

How many calories of heat are lost when one gram of alcohol gel is exposed to the air for one week?



HOW FAR CAN A BALLOON ROCKET GO ON THE COMPRESSED AIR IN ONE FULL BALLOON?

3



MATERIALS:

Plastic drinking straws; glue or tape
Long balloons; corks
Teacher's Discretion
3/16" Drill
Monofilament fish line



Make a balloon rocket. Drill a hole in the cork. Put a section of plastic straw through the hole.
Force a balloon over the cork. Tape it in place. Make sure there aren't any air leaks!



Tape or glue the balloon to half of a plastic straw. Thread a long piece of fish line through the straw.



Stretch the fish line tightly between two chairs. Blow up the balloon through the straw in the cork. Hold the air in the balloon with your finger. Move the rocket to one chair and let go!



Summary question:

How far did the rocket go?

OTHER IDEAS TO EXPLORE:

Where is the energy stored that makes the rocket go?

How can you make the rocket go farther?

Could compressed air be used as the energy source in space travel? Is an atmosphere required for this to work?

WILL FLASHLIGHT BATTERIES THAT ARE TWICE AS LARGE LAST TWICE AS LONG?

4

MATERIALS:

Watch with a second hand
Small motor, 1½-6 volts
Metric ruler; solder and soldering iron
Flashlight batteries*, one each, D, C, and AA sizes

Teacher's Discretion



Measure the diameters and lengths of the three batteries and record their measurements.



Connect the motor to one battery and time how long the motor runs. Repeat for each battery.

battery size	diameter	length	volume	Time the motor runs: new	Time the motor runs: 2nd day
D					
C					
AA					

*We've used the term "battery" instead of "cell" because that usage is more common for the age level to which these activities are directed.

Let the batteries rest one day and repeat the experiment.

Summary question:

Are larger batteries better than smaller ones?

OTHER IDEAS TO EXPLORE:

When is the use of very small batteries a good idea?

Would two batteries connected in parallel last longer than if they were used one at a time?



HOW MUCH LONGER DOES A C-SIZE BATTERY* LAST WHEN IT IS USED ON-AND-OFF COMPARED TO CONTINUOUS USE?

5



MATERIALS:

4 C-size Batteries (inexpensive ones)
Switch (single pole, single throw)
Small D.C. motor (3-6 volts)
Teacher's Discretion
Knife; clock; rubber bands; tape
50 cm Hookup wire (#18 to #24 gauge)



Connect the motor, switch, and two batteries in a series. The batteries must be held tightly together.

Turn the switch on for five minutes, then turn it off for one minute. Repeat until the batteries no longer have enough power to run the motor.
How long do the batteries work?

	batteries, used on-and-off	batteries, used continuously
time		

Connect the motor to two fresh C-size batteries and run them until the motor stops. How long do the batteries last?

*We've used the term "battery" instead of "cell" because that usage is more common for the age level to which these activities are directed.

Summary question:

Does it pay to turn batteries on and off?

OTHER IDEAS TO EXPLORE:



Would you get similar results if you used more expensive batteries?



Would your results be even better if you allowed a longer resting period during the on-and-off testing?

Can you develop an automatic way of testing batteries?

WILL RYE FLOUR CAUSE A BIGGER BOOM THAN WHEAT FLOUR?

6

MATERIALS:

3 lb. Coffee can with plastic cover
Teacher's Discretion
Matches; birthday candles; modeling clay
White flour; rye flour; measuring spoons
Basting syringe (ask a cook)

Set up your experiment like this.


Watch out! The plastic cover will blow!
clean coffee can
basting syringe
birthday candle
One tablespoon of flour inside.
modeling clay to hold candle
Punch a hole in the coffee can. Seal the edges with modeling clay.

Put one tablespoon of white flour in the basting syringe.

Light the candle and put the lid on the coffee can.



Stand back! Squeeze the baster to blow flour dust in the can.
How high does the cover blow? Record your results.

Clean the can thoroughly with water. Repeat the experiment using one tablespoon of rye flour. Record your results.

white flour _____ meters

rye flour _____ meters

Summary questions:

Which flour blows the cover higher?

Which flour makes a louder noise?

OTHER IDEAS TO EXPLORE:

Is it easy to make
flour explode?
What does this experiment show
about the energy of flour?

Do you get a bigger explosion
if you use less flour?
More flour?

Where does the energy come from
that is stored in flour?



Try using powdered sugar
or cornstarch.

Compare your results to
those in the experiment.

WILL A FLYWHEEL THAT GOES TWICE AS FAST GO TWICE AS LONG?

7

MATERIALS:

Teacher's Discretion
1 Piece ¼" plywood, 25-cm square; coping saw or jigsaw
1 Piece ½" plywood, 25-cm square; fluorescent light; tape
2 Pieces ½" plywood, 3 cm x 25 cm; protractor; felt pen
Teacher's Discretion
Roller skate wheel (local roller rink throwaways); ¼" drill
1¼" Carriage bolt, 2" long, with nut and 4 washers to fit
3 #10 Bolts, 15-cm long, with nuts to fit; strobe wheels

(see diagram on back)

Make a flywheel.



Drill ¼" holes in the centers of the plywood pieces.

Then, cut a 20-cm diameter circle from the ¼" plywood piece.



Drill three holes in the roller skate wheel as shown.



Then, assemble the flywheel. (More drilling will be required in the plywood circle.)



Make two strobe wheels, one with 60 marks and one with 30 marks. Follow this diagram.

Tape one strobe wheel to the plywood circle and spin it. The wheel will be going two rpm if the 60-mark strobe appears to stand still under a fluorescent light. The 30-mark strobe will be going four rpm if it appears to stand still under a fluorescent light.

Top view, with the strobe wheel taped in place.



Spin the wheel with the 60-mark strobe attached. Start timing when the strobe appears to stand still and time it until the wheel stops.

Record the times for several trials. Then, repeat for the 30-mark strobe.

	time				
	trial 1	trial 2	trial 3	trial 4	average
60-mark strobe					
30-mark strobe					

Summary question:

Does the 30-mark strobe go twice as fast as the 60-mark strobe?

Strobe Wheel
Xerox this drawing to make a full circle or make your own with the protractor.

10 cm

Fill in correct number of marks with a felt pen.

OTHER IDEAS TO EXPLORE:

Would you get the same results if the speeds of the strobe wheels were one and two rpms? Three and six rpms?

Which method is more useful to store energy: high speed flywheels or heavy ones?

WILL A FLYWHEEL MADE OF ¾" PLYWOOD SPIN 3 TIMES LONGER THAN ONE MADE OF ¼" PLYWOOD?



8

MATERIALS:

Teacher's Discretion ¼" Drill, 1 piece ¾" plywood, 25-cm square
Flywheel from **Energy Storage, Activity 7**; tape
Teacher's Discretion Coping saw or jigsaw; watch with a second hand
Fluorescent light



First, drill a ¼" hole in the center of the ¾" plywood square.

Then cut a 20-cm diameter circle from the plywood.

Set up your experiment using the ¼" plywood flywheel from **Energy Storage, Activity 7**. Spin the ¼" wheel. Watch for the stationary strobe pattern as it slows and start timing. Stop timing when the wheel stops. Try this several times and record your results.

		flywheels	
		¼" plywood	¾" plywood
time	trial 1		
	trial 2		
	trial 3		
	trial 4		

Replace the flywheel with the one made of ¾" plywood. Use the same strobe wheel. Repeat the experiment several times, recording your results.

Summary questions:

Did the ¾" plywood flywheel spin longer than the ¼" plywood flywheel? How can you describe what you observed?



OTHER IDEAS TO EXPLORE:

How fast is the flywheel going when the strobe wheel appears to stand still?



Will a flywheel with a 12.5-cm diameter store half as much energy as a flywheel with a 25-cm diameter? Why?

Will a 25-cm diameter flywheel made of lightweight material spin as long as one made of steel? Why?

Would a flywheel operate in a zero-gravity situation (e.g. a spaceship)? Would the weight of the flywheel make any difference?

THE GREAT FLYWHEEL CONTEST 9

MATERIALS:

Teacher's Discretion

See **Energy Storage , Activities 7** and **8** for basic flywheel instructions
Odds and ends of wood, cardboard, etc.
Glue; tape; metric scale



Each student should make a flywheel which does not exceed an agreed upon weight. All flywheel testing should be done at an agreed upon speed.

The wheel that spins the longest time is the winner.

Award a badge to the winning flywheel!

OFFICIAL RULES

What is the weight of the flywheels?

What speed will be used for testing?

Summary question:

What is special about the winning flywheel?

OTHER IDEAS TO EXPLORE:

How would you design a top to make it a long spinner?

What is the connection between a gyroscope and a yoyo?

WILL A SPOOL GO TWICE AS FAR IF ITS RUBBER BAND MOTOR HAS TWICE AS MANY TURNS?

10

MATERIALS:

- #50 Thread spool (no thread)
- Button (large holes are best)
- Wooden matches (Teacher's Discretion)
- Metric ruler; paper clips
- Rubber bands

"Motorize" your spool like this.


Pull the rubber band through one hole of the button.
spool
whole matchstick
half of a matchstick
end of the rubber band
end of rubber band
Thread the rubber band through the spool, using a paper clip tool.

Then, wind the rubber band 10 turns and place the spool on a level surface.





Measure the distance it travels.

Repeat the experiment, winding the rubber band 20 times.

Summary question:

Does the spool go twice as far with 20 turns?

OTHER IDEAS TO EXPLORE:

How many turns of stored power are actually used to move the spool?



Wind the rubber band motor and store it overnight. How far does the spool go now? Does the energy in the rubber band keep well overnight?



How could you make the spool go farther without changing the rubber band or the number of turns?

HOW HOT WILL A MIXTURE OF WATER AND ICE GET WHEN IT'S HEATED?

11



MATERIALS:

Soup can (empty)
Water; ice cubes; wooden pencil
Centigrade thermometer; graph paper; coat hanger
Candle or heat source; watch with a second hand

Teacher's Discretion

Bend the coat hanger to make a frame for the soup can. Place the soup can in the coat hanger frame.

Fill it three-fourths full of water and record the water temperature. Place a candle under the can and light it.

Add three ice cubes and wait three minutes. Place the thermometer in the can. Stir gently with the wooden pencil for 30 seconds, then read and record the temperature in the "START" space on the table.



		Temperature*
	water temperature, no ice	
Time	START	
	2 min.	
	4 min.	
	6 min.	
	8 min.	
	10 min.	
	12 min.	
	14 min.	
	16 min.	
	18 min.	



Read and record the temperature every two minutes.

Make sure there are three cubes in the can at all times.

*Stir the water gently with the wooden pencil before each reading!



Graph the temperature data you recorded.

Summary questions:

How hot did the mixture get? Can you explain your temperature graph?

OTHER IDEAS TO EXPLORE:

What will happen if you repeat the experiment but add twice as much ice?

What will happen if you repeat the experiment with two candles? with three candles?



WILL DROPPING A WEIGHT FROM 2 METERS PRODUCE TWICE THE DENT AS DROPPING IT FROM 1 METER?

12

MATERIALS:

Metric ruler; masking tape; bucket; felt pen
Plastic drinking straw; modeling clay; bar magnet
Damp sand; large hex nut (or 50-gram weight from a balance scale)

Make a weight.
Fill the center of the hex nut with modeling clay.



Make a measuring device.
Mark off 1-cm units on the plastic drinking straw.

Pour damp sand in the bucket. Level the sand at 6-cm high. Place the bucket on the floor near a wall.

Measuring from the top of the sand, make a one-meter and two-meter mark on the wall with masking tape.

Hold the weight at the one-meter mark. Drop it into the center of the damp sand.



Remove the weight with the bar magnet. Measure the depth of the dent with the straw. Record the depth on your chart.

height	trial #	depth of dent	average depth
1 m	1		
	2		
	3		
2 m	1		
	2		
	3		

Smooth the sand, leveling it to 6-cm high. Drop the weight two more times from the one-meter mark, leveling the sand and recording the depth each time.

Now drop the weight from the two-meter mark. Repeat two more times to get an average.

Summary question:

Was the two-meter dent twice as deep as the one-meter dent?

OTHER IDEAS TO EXPLORE:

Repeat the experiment, substituting other weights. What materials could you use to replace the sand?

Would a pointed weight behave in the same manner as a blunt weight?

Would a weight dropped from three meters make a dent three times as deep as a weight dropped from one meter?

Science Activities in Energy was developed by Oak Ridge Associated Universities under contract with the U.S. Department of Energy. Mr. Mauri Gould, with the assistance of Ms. Marilyn Schuette and Memphis State University faculty Dr. Ron Cleminson and Dr. John Thompson, directed the development of the series.

Copies of *Science Activities in Energy* can be obtained by writing:
U.S. Department of Energy
Technical Information Center
P.O. Box 62
Oak Ridge, TN 37830

Prepared by: Oak Ridge Associated Universities,
Oak Ridge, TN 37830, under Contract No. DE-AC05-76OR00033.

Prepared for: U.S. Department of Energy
Office of Energy Research, Washington, D.C. 20585

DOE/NBB-0003

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.